

TRINITY MS

Product Catalogue

Company: Trinity MS

Sales Tel: +1-714-699-4507

Sales E-mai: peterpark@trinity-ms.com

Office Adress: 13913 Artesia Blvd., Cerritos, CA 90703

Official Website: www.trinity-ms.com



**We Are Committed To
Solving The Problem Of Your
LED Display**

Welcome

Trinity MS is a professional LED display manufacturer and solution provider over 10 Years experience, All LED display products with CE,RoHS,FCC approved. Unit led with a production and management area of 8,000 m² that provide 3 Years Warranty, 5% Spare Parts and 7/24 Hours Free Technical Support.

Brand Vision


Manufacturer of cost-effective
products, operator of high-quality
content and brand services

Brand Positioning

Professional
Efficiency
Services

Brand Core Values

Quality · Responsibility · Service
Performance · Attitude · Sharing
Details · Implementation · Identity



CERTIFICATE &
FACTORY

Certificate

.....

We provide LED display screens with CE, RoHS, FCC certificates, and EMC-A, EMC-B LED displays that can meet the standards of European LED display screen market to customers worldwide.





72 Hours Aging Test

72hours aging test enable the stable performance of Unit display modules and to all products, we have strict aging test process.




Sturdy Packages Of Flight Cases

For packing and transportation, we will make our best efforts to pack and transport your LED display modules carefully.



Efficient Equipment & Workers

Set of efficient production line and effective workers, always dedicates to great cost - effective products and bring satisfying customer experience.



High-Quality Parts

Purchased from acclaimed business partners like Nichia, Cree, Epistar LED, Nationstar to ensure the function and effectiveness of our products.



SMT Machine



SMD LED Production Line



Assembling line



Assembling line



PRODUCT

Rental Led Display

UNIT-MA500/1000 Series

UNIT-MA500/1000 Series is a very mature rental series, so the delivery time is very stable. More details:

- High-cost-effective Rental Series.
- Magnesium Alloy cabinet, lighter than the aluminum cabinet.
- Support Indoor Wall mounts to make Fixed installation.
- Normal installation or curve installation.

MA-500x500/500x1000

Indoor (Front service)-P1.953/2.5/2.604/2.976/3.91/4.81 | Outdoor (Back service)-P2.604/2.976/3.91/4.81




Rental Led Display

UNIT-NG500/1000 Series

UNIT Led NG500/1000 Series Rental LED Display New design incorporates many aesthetic elements

- NG500 can support Right-angle design, work together with normal design.
- 7.2kg/12kg for each cabinet.
- Thickness: 72mm (including the module)

NG500/1000-P1.953/2.604/2.976/3.91/4.81



Rental Led Display

UNIT-Magic500/1000 Series

UNIT-Magic500/1000 is a quick maintenance Rental series.

- Detachable back over +Corner protector design.
- Front & Back Dual Maintenance, and the module with lock design.
- Curve installation (-10°to +10°).



Magic-500x500/500x1000

Indoor-P1.953/2.604/2.976/3.91/4.81 | Outdoor-P2.604/2.976/3.91/4.81

Rental LED Display

UNIT-IMAX500 Series

- Power supply Dual Backup design, Never stop working.
- Quick removable back over and Corner protector design.
- Front & Back Dual Maintenance (Indoor & Outdoor).
- Right-angle installation or Curve installation or Floor installation, and so on.

IMAX-500x500

Indoor: P2.604/2.976/3.91 | Outdoor: P2.976/3.91/4.81



Rental Led Display

UNIT-MAX500 Series

Optional indoor and outdoor , module magnetic installation ,front and rear maintenance, aluminum cabinet , ultra-high flatness , whole screen flatness error less than or equal to 0.01mm. The cabinets of different batches are of the same size , solid and durable , not easy to deform, protection good , protection level IP31/ IP65, weather and salt spray corrosion resistance



MAX500-P2.976/3.91/4.81

Indoor&Outdoor Fixed Led Display

UNIT-MA960 Series

Unit-MA960 Series Standard Size 960X960mm LED display is Unit latest LED display with Ip65 good waterproof level. we use best Driving IC such as 2038S, MBI5124, Nationstar LED to ensure our LED display best brightness. can be used as indoor fixed led display, outdoor fixed led display and rental LED display.

MA960-960x960

Indoor: P2.5/3.076/4/5 | Outdoor: P2.5/3.076/3.33/4/5/6.67/8/10



Outdoor Energy Saving Led Display

UNIT-MA960-ES Series

960X960mm Standard Energy saving LED display

- Module size with 320*320mm front maintenance.
- Better heat dissipation and low heat, 600W/m²

The heat of the display is uniform, the color temperature is constant, and no color block in the display at all, and the picture display effect is excellent. energy consumption is maximized without reducing LED display brightness and contrast .



ES960-960x960-Outdoor-P6.67/8/10

Best Choice For Outdoor 3D Billboard Advertising

UNIT-EV960 Series

EV960 Series Energy Saving LED Display is Unit latest Common Cathode Aluminum Display with size of 960*960mm, high IP67 waterproof level.

- Aluminum module design with 480*320mm size.
- Ultra low heat and power consumption, 580W/m².
- Aluminum or Steel cabin
- Naked-eye seamless 3D LED Display designet

EV960-P5.7/6.67/8/10



High Quality LED Display

UNIT-EV1000 Series

EV1000 Series LED display is Unit latest high quality LED display and can be used for 3D LED billboards.

- 250/500*250mm Panel Design
- SMD 3 in 1 LED Encapsulation technology
- Dual Service with Frontal and Rear Maintenance
- High Protection Aluminum Chassis Panel Design
- CE,Rohs Approved
- 3 Year Warranty and 5% Spare Part

EV1000 ES-P1.95/2.6/2.9/3.9



High Quality Outdoor Energy Saving LED Display

UNIT-EV960 ES Series

EV960 ES Series Energy Saving LED Display is Unit latest Common Cathode Aluminum Display with a size of 960*960mm and a high IP66 waterproof level. Unique panel design with 480*320mm size. Ultra-low heat and power consumption, providing an excellent visual experience.

- 480*320mm Panel Design
- SMD 3 in 1 LED Encapsulation Technology
- Dual Service with Frontal and Rear Maintenance
- High Protection Aluminum Chassis Panel Design
- CE,Rohs Approved
- 3 Year Warranty and 5% Spare Part

EV960 ES-P4.4/5.7/6.6/7/8/10



High Quality Outdoor Energy Saving LED Display

UNIT-EV1000 ES Series

EV1000 ES Series Energy Saving LED Display is Unit latest Common Cathode Aluminum Display with the size of 500*1000mm and high IP66 waterproof level.

- 250*250mm Panel Design
- SMD 3 in 1 LED Encapsulation Technology
- Dual Service with Frontal and Rear Maintenance
- High Protection Aluminum Chassis Panel Design
- CE,Rohs Approved

EV1000 ES-P1.95/2.6/2.9/3.9



Outdoor Fixed Led Display

UNIT-OF-Series 800x900/800x1200

Unit OF800 Outdoor Frontal Service LED Display is Unit latest outdoor fixed LED display with frontal service.

- Cabinet size with 800*900mm / 800*1200mm.
- Module size with 400*300mm.
- Ultra low heat, energy saving and excellent visual experience
- Naked-eye seamless 3D LED Display designet

OF800-P4.16/5/6.25/8/10



Outdoor Fixed Led Display

UNIT-OF-Series

The SMD Encapsulation technology with High brightness with Reliable Driving IC which makes the Unit Outdoor Fixed Installation LED Display has a Vivid and smoother pictures when in use. the LED screen Clear picture without flicker and distortion.




1000×250mm LED Display

UNIT-Double-sided LED Display

MA250 series indoor fixed led display adopts ultra-thin and ultra-light design with high brightness and contrast.

- 1000mm/750mm/500mm×250mm LED Display Cabinet
- Ultra-thin and light (thickness 33mm, weighs 5.8kg)
- High brightness, good color saturation
- Support split-screen multi-module display
- Front Maintenance
- 3 Year Warranty and 5% Spare Part



Fine Pixel Led Display

UNIT-MA640 Series

- Indoor installation, no need to reserve the maintenance channel.
- Module, power supply, receiving card, all can be replaced in front ! Save space and reduce frame costs.
- Die-casting Magnesium Alloy cabinet.



MA-640x480-P1.25/1.538/1.667/1.86/2/2.5/3.076/4

Fine Pixel Led Display


UNIT-N169S series

N169S series is HD LED Video wall, adopts 16:9 cabinet size.

More details:

- Ultra-thin, ultra-light, the overall thickness is only 48mm.
- No stitching, ultra-high-definition, the color is more natural.
- 3840Hz ultra-high refresh rate, no smear, enjoy high-definition.
- CNC high-precision die-casting aluminum box, ultra-quiet fanless design.
- Fully front maintenance, support front and rear installation.

N169S-600x337.5-Indoor: P0.78125/0.9375/1.25/1.56/1.875/2.5



Fine Pixel Led Display

UNIT-MA480/N43 Series

Perfect replacement for LCD display. Die cast aluminum cabinet, guarantee you a flat and seamless screen Good uniformity Dot-to-dot correction technology provide you pure image with great gradation.



400X300-HD-P1.25/1.56/1.667/1.923

480X480-HD-P1.667 / 1.875 / 2 / 2.5

UNIT-TRANSPARENT LED DISPLAY

Rental LED Display With Front And Back Maintenance And Flexible Assembly

As a leading transparent LED display manufacturer, Unit Transparent LED Display develops and upgrades continuously for optimization. Our products feature high transparency, lightweight, smart control, simple operation, high refresh rate, energy-saving and more. Unit delivers various transparent LED displays to many applications including building glass windows, building glass walls, stores, bars, exhibitions, shopping centers, etc



LED Poster Display Screen

LED Poster Display has the feature of lightweight, frameless design, easy operation, easy placement, portable, movable and easy operation via Network or USB, etc. Unit LED delivers the various digital LED Poster Sign to different applications including shopping malls, show-rooms, exhibitions and so on.

640x1920-P1.86, P2, P2.5, P3.076, P4, P5







APPLICATION

Fixed Installation Display

.....




Portugal




Georgia





Germany



Korea





Germany



Rental Display

.....







Germany



Canada





Please Do Not Hesitate To Contact Trinity MS
If you have Any Inquiry About LED Display Solutions

www.trinity-ms.com/